

Index

A

accuracy, 82, 82*f*
action, 7, 77–79, 82, 96
 case study, 85
 collective, 152–153
 in VSAL model, 65, 66*f*, 67, 95
action planning
 in concept mapping, 102–103
 for research utilization, 89, 91–92, 91*f*
active agents, 77–78
adaptation
 of collective vision, 70
 in loosely coupled systems, 75
 in planning, 71
adaptive agents, 45
adaptive organizations, 62, 73–74
administrative work, 52
adolescents
 smoking prevalence among, 15–16
 in system dynamics models, 126, 127*f*, 128–129
advertising, tobacco industry, 13, 16–17, 232
 in causal maps, 119*f*, 120
advocates, participation of, 3*f*, 271, 271*f*
age factors, in system dynamics models, 126, 127*f*, 128–129, 133–134, 134*f*
Agency for Healthcare Research and Quality, 200
agenda setting, 50, 194
agent(s)
 active, 77–78
 adaptive, 45
 in learning organizations, 79
 and missions, 77–78
 network models based on, 179
 participatory, 77–78
agent-centered principle, 68–69
alignment, 116
Amazon.com, 239
American Cancer Society (ACS), 174, 200–201
American College of Surgeons Commission on Cancer, 200
American Legacy Foundation, 27, 169
American Medical Association, 24

American Stop Smoking Intervention Study for Cancer Prevention (ASSIST), 17, 22–24, 228–229, 233–234, 251
 models, 23, 23*f*–24*f*
 monograph on, 245–246
 strength of tobacco control measure, 48, 94–95, 118, 229, 242, 245–246
 analysis
 consensus, 102
 cultural, 43–44
 data, 99–100, 167–168
 network (*See* network analysis)
 in systems approaches, 230–231, 231*f*
antitobacco constituencies, in causal maps, 121, 121*f*
appreciative inquiry summit methodology, 73
approval process, streamlining of, 53
architecture workspace, 205
assessment
 needs, 71
 participatory methods for, 50
ASSIST project. *See* American Stop Smoking Intervention Study for Cancer Prevention (ASSIST)
attractor, 46
audience, for knowledge translation, 191
autonomy, networks and, 157
autopoiesis, 46
awareness of health risks, in causal maps, 120–122, 120*f*–121*f*

B

Battelle Centers for Public Health Research and Evaluation, 92, 253
 behavior
 determined by structure, 116
 models of, 45
 network, 8, 152–154, 181
 organizational, 63, 188
 as system, 111–113, 116
 tobacco use (*See* smoking behavior)
behavioral management, 63
Behavioral Risk Factor Surveillance System, 201
best practice. *See* evidence-based practice
Best Practices for Comprehensive Tobacco Control Programs (CDC), 169
“better before worse” scenario, 115–116

Note: Page numbers with *t* indicate tables; page numbers with *f* indicate figures.

betweenness centrality, 150–151, 172, 174
 boids, 45
 Boys and Girls Clubs (B&G Clubs), 172
 brainstorming, 71
 in concept mapping, 98
 overlap with data collection, 230–231
 in tobacco control systems, 116
 broker relationships, 150
 buffering, 75
 building blocks, in complex adaptive systems, 45
 bureaucratic paperwork, 52
 business case, in knowledge management, 194

C

Campaign for Tobacco-Free Kids, 27, 199
 Cancer Biomedical Informatics Grid (caBIG), 198, 200, 204–205, 207
 cancer control
 knowledge resources, 199–206
 research utilization in, 87–92, 95
 Cancer Control Plan, Link, Act, Network with Evidence-based Tools (PLANET), 186, 198–203, 229
 knowledge management strategy, 209, 210*t*, 237, 242
 Cancer Information Service (CIS), 161, 201
 Cancer Intervention and Surveillance Modeling Network (CISNET), 198, 202–203
 cancer research tools, integrative, 204
 capacity building
 knowledge management, 195, 241–242, 244
 network, 160, 177
 systems thinking, 6, 241, 244
 Capra, F., 43
 CAS. *See* complex adaptive systems (CAS)
 CATWOE, 43–44
 causal maps, development of, 118–125, 119*f*–125*f*
 causal model, 110–111, 115, 141, 231–232
 development of, 118–125, 119*f*–125*f*
 CBOs. *See* community-based organizations (CBOs)
 CBPR. *See* community-based participatory research (CBPR)
 CDCcynergy, 203
 cellular automata, 45–46
 Center for Substance Abuse Prevention, 117
 Center for the Advance of Health, 87
 Centers for Disease Control and Prevention (CDC)
 evaluation framework, 81–82, 82*f*
 guidelines, 55, 169, 186, 201, 252, 267
 IMPACT program, 24, 251
 knowledge management initiatives, 199, 211
 research citations, 186
 syndemics initiative, 39
 system dynamics model validation, 131–132, 132*f*
 tobacco control initiatives, 24, 201, 242
 tracking systems, 229, 242
 transdisciplinary efforts, 27, 235–236
 centers of excellence, creation of, 243
 centrality of networks, 150–151, 172, 174
 centralization index, 172, 174
 chaos theory, 46, 48, 113, 187, 232
 Checkland, Peter, 43–44, 112–113, 226, 252
 Chief Executive Office Roundtable on Cancer, 27
 children
 smoking prevalence among, 15–16
 in system dynamics models, 126, 127*f*, 128–129
 CHP (Consumer Health Profiles), 199, 203
 Chronic Disease Directors Association, 169
 cigarettes
 design of, 14–15
 distribution of, 16–17
 history of, 16–17
 CIS (Cancer Information Service), 161, 201
 CISNET (Cancer Intervention and Surveillance Modeling Network), 198, 202–203
 classical management theory, 63–65, 65*t*
 clean indoor air laws, 20
 client referrals, 164, 174–175, 174*f*
Clinical Guide to Tobacco Use Counseling, 201
Clinical Practice Guideline on Tobacco Cessation, 201
 clinical trial management systems, 204
 cliques, 150–152
 closeness centrality, 150–151
 cluster rating map, 100
 examples of, 88–89, 90*f*, 92–93, 93*f*, 101*f*
 interpretation of, 101
 for tobacco knowledge base, 212, 212*f*
 Cochrane Collaboration, 252
 cognitive maps, 72
 collaboration
 among stakeholder groups, 54, 62, 148, 240
 in collective vision, 71
 in community-based participatory research, 80
 in concept mapping, 83–95
 facilitation of, 54, 156
 knowledge base for, 189
 multiple levels of, 154
 navigating, 75

- in networks, 74, 158
 - promotion of, 28–29
 - transdisciplinary (*See* transdisciplinary approach)
 - trust in, 80
 - collective action theories, 152–153
 - collective learning, 78
 - collective vision, 70–73, 84*f*
 - building, 86, 235
 - link between mission and, 77–79, 82–83, 95
 - command-and-control structures, 62, 64–65
 - alternatives to, 73–74
 - versus* collaboration, 28–29
 - versus* loosely coupled systems, 75
 - COMMIT (Community Intervention Trial for Smoking Cessation), 22, 228, 233, 251
 - commitment, to networks, 154–155, 157–158
 - Common Data Elements, 204–205
 - communication
 - in networks, 153, 175
 - of positive outcomes, 52
 - between researchers, 53
 - communities of practice, in knowledge management, 195
 - community-based organizations (CBOs), 76–77
 - community-based participatory research (CBPR), 80, 236
 - community building, 78
 - Community-Campus Partnership for Health, 245
 - Community Intervention Trial for Smoking Cessation (COMMIT), 22, 228, 233, 251
 - community-level participation, 244–245
 - compensation, for system changes, 115
 - competency development, 75, 271
 - competition
 - among public health agencies, 124–125
 - in networks, 157, 206
 - for scarce resources, 52
 - complex adaptive systems (CAS), 44–45, 113, 226–227, 232, 255
 - Comprehensive Cancer Control Leadership Institutes, 202
 - computer software
 - concept mapping, 97–103
 - for knowledge management, 196–197
 - for network design, 179
 - of system dynamics, 111–114, 142
 - system dynamics models, 126
 - concept mapping, 7, 9, 71–72, 96
 - case studies, 87–88, 87*f*, 91–93, 93*f*, 95
 - collaborative, 83–95
 - example of, 101
 - interpretation in, 100–101
 - methodology, 97–103
 - overlap with network analysis, 230–231
 - of tobacco control knowledge base, 209–217, 212*f*, 215*f*, 237
 - Concept System computer software, 97–103
 - conceptual domain, generation and structuring of, 97–99
 - conference, on systems thinking, 244
 - conference model, 72
 - conflict
 - networks and, 157–158
 - structure and, 76–77
 - congestion, network, 178
 - consensus analysis, 102
 - consensus building, 195
 - Consumer Health Profiles (CHP), 199, 203
 - contact networks, state level, 172, 173*f*, 174
 - contemporary management theory, 63
 - contingency perspective, 63
 - controlling function
 - in traditional model, 64, 65*t*, 68
 - in VSAL model, 69
 - cooperation. *See also* collaboration
 - in networks, 157
 - critical mass, 229
 - critical systems thinking, 113
 - Crossing the Quality Chasm: A New Health System for the 21st Century* (IOM), 232
 - cross-sectional studies, of networks, 165
 - Cullman, Joseph III, 17
 - cultural analysis, 43–44
 - Current Citations* (CDC), 186
 - Current Population Survey Tobacco Use Supplement, 201
 - curriculum, systems theory, 244, 272
 - cybernetic loop, 114–115
- D**
- data analysis
 - in concept mapping, 99–100
 - in network analysis, 167–168
 - database technology
 - dynamic, 239
 - in knowledge management, 196–197
 - data collection
 - for concept mapping, 97–100
 - for network analysis, 160, 165–171
 - overlap with brainstorming, 230–231

decentralized networks, 151
 decision making, in networks, 157–158
 dedicated network alliance function, 155
 degree centrality, 150–151
 delays, in causal maps, 119
 Delphi technique, 71
 demographic change, preparation for, 241
 density, network, 151, 175, 178
 design, network, 179–180
 diagnosis, network, 176–177
 diagrams, causal loop, 118–125, 119*f*–125*f*
 directories, network, 201
 discovery, network, 176
 dissipative structure
 of collective vision, 70
 in complex adaptive systems, 46
 distribution, of collective vision, 70
 diversity, in complex adaptive systems, 44
 duplication of effort, avoiding, 54, 206, 240
 dyads, 149–150, 153
 dynamic database principle, 239

E

ecological context, of knowledge translation,
 191, 217
 ecological thinking, 43, 44*t*, 226, 235–236,
 238–239, 245
 edges, 46
 emergence, in complex adaptive systems, 46
 empowerment
 evaluation, 80
 participants, 116
 engagement, of stakeholder groups, 116
 environmental factors
 affecting tobacco control, 13, 19–22, 175, 232,
 236–237
 knowledge translation and, 191
 Environmental Public Health Indicators (CDC),
 229
 environmental scanning, 178, 231, 238
 evaluation
 dynamic databases for, 239
 empowerment, 80
 fostering, 239–240
 knowledge base for, 201–202
 participatory, 79–82, 82*f*, 226
 system models for, 81–82, 82*f*

evaluation function
 in traditional model, 64, 79
 in VSAL model, 67, 69, 79, 84*t*
 evidence-based practice, 252
 attitude of user toward, 80
 encouragement of, 54
 knowledge base for, 189, 201
 evidence-based priorities, setting of, 28
 evolution
 concept of, 73
 of management theory, 63–65, 70, 79
 of networks, 153–154, 165, 178
 of public health, 12–13, 39, 142, 226
 of systems, 46, 113
 of systems thinking, 273
 of tobacco control, 12–13, 30, 39, 133, 142,
 227–228, 228*f*, 233–234, 250, 250*f*, 252
 exchange theories, 152
 explicit knowledge, 188, 221, 227
 shift from tacit knowledge to, 193, 207, 214
 exploitation, network, 155
 exploration, network, 155

F

facilitation
 of collective vision, 71–73
 in concept-mapping interpretation, 101
 facilitative leadership, 77–78, 84*t*
 FCTC (Framework Convention for Tobacco
 Control), 29
 feasibility, 82, 82*f*
 Federal Cigarette Labeling and Advertising
 Act, 133
 Federal Trade Commission, 14–15
 feedback, definition of, 45
 feedback loops, in system dynamics, 110, 114–115,
 114*f*, 132–133, 133*f*, 141–142, 226
 filters, 14
 financial climate, for state tobacco control
 programs, 171–172, 172*t*, 173*f*
 financial infrastructure, for knowledge
 management, 196, 209
 Finland, North Karelia Project in, 21
 “fishing net” approach, 156
 flocking model, 45
 flows
 in causal maps, 119, 131, 142, 231
 in complex adaptive systems, 44

focused goals, 269–273
 focused integration, 154, 180
 focus groups, 71
 follow-up studies, in network analysis, 167
 formal relationships, network, 163–164
 Forrester, Jay, 111–113
 fractals, 46
 fragmentation, network, 151
 Framework Convention for Tobacco Control (FCTC), 29, 161
 funding
 ISIS, 252–253
 for tobacco control
 in causal maps, 121, 121*f*, 123–124, 124*f*, 135–136, 136*f*
 policy makers and, 53–54
 practitioner services and, 52
 state programs and, 169, 175, 175*f*
 streamlining of, 53
 future-search conferences, 72

G

General System Theory: Foundations, Development, Applications (von Bertalanffy), 40
 generation step, in concept mapping, 97–98
 genetic basis, for smoking behavior, 16
 geographic dispersion, problems related to, 156
 GlaxoSmithKline, 117
 Global Links program, 237
 Global Tobacco Research Network (GTRN), 161–162, 237, 253
 network analysis of, 160–169, 181
 goals
 focused, 269–273
 ISIS, 48*t*, 54–55, 226, 254, 256
 knowledge management, 48*t*, 216
 network, 48*t*, 155, 160
 purposeful, 73
 setting of, 29
 system dynamics, 84*t*, 114–115
 tobacco control, 12
 governance
 network, 151, 154, 178, 180
 of self-managed groups, 76
 government, willingness to take action, in causal maps, 123, 123*f*
 government agencies, collaboration among, 27

government awareness, of health risks, in causal maps, 121*f*, 122
 government health warnings, 133
 government intervention sector, in system dynamics models, 118, 140, 140*f*
 government legislation, 20, 118, 133
 in causal maps, 123–124, 124*f*
 government sector, in system dynamics models, 130, 130*f*, 139–141, 140*f*, 144*f*
 go-zone plots, example of, 89, 91, 91*f*, 102–103, 103*f*
 group modeling, 116
 groupware, 196
 GTRN. *See* Global Tobacco Research Network (GTRN)
Guidance for Comprehensive Cancer Control Planning (CDC), 267
Guide to Clinical Preventive Services, 55
Guide to Community Preventive Services, 55, 186, 201, 252

H

Hawaii, tobacco control program in, 171–175, 172*t*
 health care costs, in causal maps, 122, 122*f*
 health system, as ecosystem, 191
Healthy People 2010, 12, 30, 117
 holistic thinking, 40
 home, smoking in, 20
 homophily, 153
 horizontal networks, 164–165
 hotlines, national network of. *See* North American Quitline Consortium
 humanistic management, 63
 human resources, shortage of, 241

I

IMPACT (Initiatives to Mobilize for the Prevention and Control of Tobacco Use), 24, 251
 implementation framework, for systems thinking, 259–275, 266*f*
 implementation function
 ecological perspectives on, 238–239, 260
 knowledge management in, 187, 189
 in traditional model, 64
 in VSAL model, 67, 74
 in-degree centrality, 150–151

- Indiana, tobacco control program in, 171–175, 172*t*, 173*f*, 175*f*–176*f*
- Indiana Tobacco Prevention and Cessation Agency (ITPC), 172
- individual-level network theories, 149–150
- Industrial Revolution, management theory and, 65
- informal relationships
 client referrals and, 174–175, 174*f*
 network, 164
- information
versus knowledge, 186–187
 shared, 164
- information dissemination, 28, 53, 186, 252
 and attitude of user, 80
 network efficiency for, 178
 policy makers and, 54
 in system dynamics models, 127, 127*f*, 129, 135–137, 136*f*–137*f*, 144*f*
- information infrastructure, 196, 209–210, 242
- Initial Outcomes Index (ASSIST), 242
- Initiative on the Study and Implementation of Systems project. *See* ISIS (Initiative on the Study and Implementation of Systems) project
- Initiatives to Mobilize for the Prevention and Control of Tobacco Use (IMPACT), 24, 251
- Inquiring Knowledge Networks On the Web system, 170
- Institute of Medicine
Crossing the Quality Chasm: A New Health System for the 21st Century, 232
 2001 report, 87
- institutional-community relations, 244–245
- integration, focused, 154, 180
- integration and implementation sciences, 254, 272
 framework of, 48–49, 49*t*
- integrative cancer research tools, 204
- integrative management theory, 63
- interaction guidelines, for power issues, 76–77
- interfaces, focus on, 75
- internal models, in complex adaptive systems, 44–45
- interorganizational ties, 152
- interpretation step, in concept mapping, 100–101
- intervention, participatory methods for, 50
- interviews, for network analysis, 167, 169
- in vivo imaging, 204
- involvement, in network relationships, 154
- ISIS (Initiative on the Study and Implementation of Systems) project
 case studies, 47–50
 common methodologies, 230–231, 230*f*
 conclusions, 255–256
 chapter, 6–9
 crosscutting, 243–245
 general, 5–6, 29–30, 231–232
 specific, 234–245
 as framework for public health issues, 5, 39
 funding for, 252–253
 future steps for, 274–275
 goals of, 48*t*, 54–55, 226, 254, 256
 history of, 249–256
 implementation framework, 259–275, 266*f*
 key facets of, 26, 48*t*
 knowledge management review, 242
 lessons from, 25–29
 monograph framework, 3–5, 254–255
 network analysis in, 170–171
 participants in, 251, 253–254, 256
 policy makers and, 53–54
 practitioners and, 51–52
 purpose of, 2, 26, 38–39, 55, 227
 researchers and, 52–53
 summit meetings, 253–255
 synthesis of, 227–231
 system dynamics in, 116–133, 141–142
 vision of, 245, 260
- issue exploration, 50
- ITPC. *See* Indiana Tobacco Prevention and Cessation Agency (ITPC)
- J**
- Johns Hopkins Bloomberg School of Public Health, 92, 162
- journals, research published in, 52–53, 136, 186, 236
- K**
- key informants, in network analysis, 166, 168–169
- KMT. *See* knowledge management and translation (KMT)
- knowledge
 definition of, 221
 explicit, 188, 221, 227
 shift from tacit to, 193, 207, 214
versus information, 186–187
 organization of, 190, 192–193
 tacit, 188, 193, 221, 227
 types of, 190, 216, 221
- knowledge architects, 195

- knowledge base. *See* tobacco control knowledge base
- knowledge brokers/managers, 195
- knowledge champions, 194–195
- knowledge conversion, 221
- knowledge development, 196
- knowledge development tools, 196
- knowledge management and translation (KMT), 8–9, 56, 141–142, 185–222, 226–227
 - benefits of, 189, 216
 - capacity building for, 195, 241–242, 244
 - case studies, 48*t*, 197–216
 - current directions in, 232–233, 233*t*
 - definition of, 187, 221–222
 - examples of, 228, 229*t*
 - formal methodology, 186
 - four Ps of, 194–196, 195*f*, 207–208, 214, 218–220
 - framework for, 188–191, 189*f*, 217, 222, 222*f*
 - conceptual, 189–194, 190*f*, 192*f*
 - strategic, 194–197, 195*f*
 - goals of, 48*t*, 216
 - infrastructures, 188, 196–197, 206–209, 216–217, 242
 - integration of, 192–194, 193*t*, 216
 - ISIS conclusions on, 241–243
 - key factors in, 188
 - overlap with other approaches, 230–231, 230*t*
 - project types, 188
 - resources for, 186
 - role of, 187
 - social context of, 191, 217
 - strategy maps, 197, 198*t*, 199*f*, 209, 210*f*, 210*t*–211*t*
 - for infrastructure, 197, 198*t*, 199*f*, 208–209, 218–220
 - terminology, 221–222
- knowledge map, systems-level, 207, 207*t*, 219–220
- knowledge navigation/access tools, 196
- knowledge networks, 222
- knowledge-outcome map, 220
- knowledge production, 190, 192
- knowledge refinement, 190–191, 193
- knowledge repositories, 155, 196
- knowledge resources
 - tobacco control, 199–206
 - value of, 196
- knowledge transfer, 56, 141–142
 - case studies, 48*t*
 - facilitation of, 156–157
 - goals of, 48*t*
 - two-way, framework for, 268–269, 268*f*
- knowledge-translation networks (KTNs), 236, 242–243
- knowledge use, 190, 193
- L**
- laboratories, virtual, 235
- ladder graph, for pattern matching, 102, 102*f*
- large group interventions (LGIs), 77–78
- large-scale change, framework for, 268–269, 268*f*
- large-scale interactive process, 72
- Latino Agencies (Oklahoma), 174
- laws
 - clean indoor air, 20
 - tobacco control, 118, 133
 - in causal maps, 123–124, 124*f*
- leader–follower principle, 68–69
- leadership
 - collective vision and, 70–71
 - facilitative, 77–78, 84*t*
 - fostering, 244
 - in knowledge management, 194–195
 - of loosely coupled systems, 75
 - participation of, 271, 271*t*
 - self-organization and, 73–74
 - in systems approach, 3*f*, 64, 68
- leadership program, creation of, 237
- leading function
 - in traditional model, 64, 65*t*, 68
 - in VSAL model, 69
- learning, 7, 79–83, 96
 - case study, 85
 - collective, 78
 - definition of, 79
 - enhancement of, 156–157, 235
 - team, 43
 - in traditional model, 79
 - in VSAL model, 65, 66*f*, 67, 69, 84*t*, 95
- learning organizations, 113, 226
 - development of, 42–43, 79, 235–236
- legitimacy, network, 154–155
- letters of support, for network analysis, 167
- LGIs. *See* large group interventions (LGIs)
- lifestyle clusters, 203
- linkages, among network members, 154
- local efforts, linking with, 244–245
- logic models, 72, 81, 92, 95–96, 229
- longitudinal studies, of networks, 165–166, 175
- long-term development, participatory methods for, 50–51
- loop(s), in causal maps, 119

loop model, causal, 118–125
 loosely coupled system, 74–76
 loyalty conflicts, networks and, 157–158

M

machines, organizations as, 64
Making Health Communications Programs Work: A Planner's Guide (NCI), 203
 management
 basic process of, 64, 65*t*
 of networks, 158
 management functions
 in traditional model, 64, 65*t*, 67–68
 in VSAL model, 67–68
 management science, 63
 management theory
 applied to tobacco control initiatives, 68, 68*f*
 classical, 63–65, 65*t*
 evolution of, 63–65, 70, 79
 humanistic, 63
 integrative, 63
 phases of, 63
 quantitative, 63
 systems approach to (*See* systems organizing)
 traditional, 62–65, 65*t*
 versus systems approaches, 65–70, 66*f*, 83, 95, 226, 234–235
 map(s)
 causal, development of, 118–125, 119*f*–125*f*
 cluster rating (*See* cluster rating map)
 cognitive, 72
 knowledge, systems-level, 207, 207*t*, 219–220
 knowledge management, 72, 197, 198*t*, 199*f*, 207–209, 210*f*, 210*t*–211*t*, 218–220
 mind, 71–72
 outcome, 72, 220
 4P-KMT, 197, 198*t*, 199*f*, 207–208
 planning, 71–72, 83 (*See also* concept mapping)
 marketing, tobacco, 13, 16–17, 232
 in causal maps, 119*f*, 120
 Massachusetts Institute of Technology, 117
 Master Settlement Agreement (MSA), 18, 171, 232
 matrix approach
 to network analysis, 160
 to tobacco control, 23, 23*f*
 MDS. *See* multidimensional scaling (MDS)
 mental models, 42, 116, 194
 Michigan, tobacco control program in, 171–175, 172*t*, 173*f*

mind maps, 71–72
 Minnesota Heart Health Program, 21
 mission
 establishment of, 77
 link between vision and, 77–79, 82–83, 95
 Mississippi, tobacco control program in, 171–175, 172*t*, 173*f*
 Missouri, tobacco control program in, 171–175, 172*t*
 mobilization, network, 155
 model(s)
 behavior, 45
 causal, 110–111, 115, 141, 231–232
 development of, 118–125, 119*f*–125*f*
 cellular automata, 45–46
 conference, 72
 evaluation, 81–82, 82*f*
 group, 116
 internal, 44–45
 logic, 72, 81, 92, 95–96, 229
 mental, 42, 116, 194
 network, 179
 participatory intervention, 80
 planning, 71
 system dynamics (*See* system dynamics models)
 system knowledge, 4
 systems organizing, 65–83, 66*f*
 visual, 71–72
 VSAL, 65, 66*f*, 67
 motivation, for knowledge translation, 191
 multidimensional scaling (MDS), 97
 multidisciplinary approach. *See* transdisciplinary approach
 multiple needs, addressing, 156
 multiplexity, of networks, 150, 154
 multivariate analysis, 230
 of tobacco control, 23, 24*f*
 of tobacco knowledge base, 212

N

National Blueprint for Adult Tobacco-Use Cessation, 251
 National Cancer Data Standards Repository (NCI), 205
 National Cancer Institute (NCI), 200, 228. *See also specific NCI project*
 Cancer Information Service, 161, 201
 Consumer Health Profiles, 199, 203

- knowledge management infrastructure, 206–209, 217, 242
- knowledge management initiatives, 200–206, 217, 221–222
- National Cancer Data Standards Repository, 205
- research funding by, 27–28
- research utilization initiative, 87
- Smoking, Tobacco, and Cancer Program, 22
- Smoking and Tobacco Control Monographs, 20, 234, 245–246
- systems dynamics simulations, 117
- Tobacco Control Research Branch, 251
- transdisciplinary efforts, 27
- National Institute on Drug Abuse, 27
- National Institutes of Health (NIH), Roadmap Initiative, 27, 235
- National Program of Cancer Registries, 201
- National Tobacco Control Program (CDC), 24
- needs assessment, 71, 238
- network(s), 4, 6, 8, 226–227
- agent-based simulations of, 179
 - benefits of, 156–157
 - capacity building, 160, 177
 - centrality of, 150–151, 172, 174
 - creation of, 6, 243, 270
 - cross-organizational cooperation in, 62
 - definition of, 2, 149
 - delineation of, 170
 - design of, 179–180, 270
 - diagnosis, 176–177
 - discovery, 176
 - effective, 154–155
 - evolution of, 153–154, 165, 178
 - examples of, 228, 229*f*, 264–265
 - goals of, 155, 160
 - governance of, 151, 154, 178, 180
 - horizontal, 164–165
 - ISIS conclusions on, 240–241
 - knowledge, 222
 - knowledge base for, 189
 - location of, 153, 164–165
 - nodes of, 161, 172, 174
 - shortcomings of, 157–158
 - small-world, 149, 155
 - “star,” 155
 - structure of, 150–152, 160, 164–165, 172, 175, 175*f*, 178–180
 - systems organizing structure and, 74, 141
 - tobacco control, research on, 165–169
 - unique properties of, 151
 - value of, 148–149, 155–159
 - vertical, 164
- network alliance function, dedicated, 155
- network analysis, 8, 56, 147–181
- application of, 159–160
 - benefits of, 159–160, 180–181
 - case studies, 48*f*, 157, 169–180
 - comparative, 180
 - current directions in, 232–233, 233*f*
 - data collection for, 160, 165–171
 - definition of, 159
 - goals of, 48*f*
 - guidelines for, 160, 181
 - information needed for, 161–165
 - for ISIS, 170–171
 - ISIS conclusions on, 240–241
 - key informants in, 166, 168–169
 - levels of, 149–152
 - network selection for, 166, 168
 - organization identification for, 161–162
 - overlap with other approaches, 230–231, 230*f*
 - quantitative, 165–166
 - relationship identification for, 163–164
 - services identification for, 162–163, 166, 168
 - streamlining, 168
 - in tobacco control
 - case study, 169–180
 - data collection methods for, 160–169
 - translation into practice, 175–180
 - Web-based environment for, 170
- network applications, in public health, 8
- network attributes, as measure of tobacco control efforts, 8
- network behavior, theories of, 8, 152–154, 181
- network bounding, 161
- network development, in knowledge management, 196
- network directories, 201
- network leaders, data collection from, 166
- network organizations, 74
- network relationships
- client referrals and, 174–175, 174*f*
 - institutionalized, 180
 - strength of, 154, 270
 - type and frequency of, 163–164, 178, 180
 - weak, 168
- network theory, 46
- individual-level, 149–150
 - overview of, 148–154
- New Citations*, 186

“new sciences,” 40–41
 New York State
 tobacco control program in, 171–175, 172*t*
 welfare reform study, 115
 nicotine, “free-base” form of, 15
 nicotine addiction, potential for, 15
 nicotine delivery
 efficacy of, 14–15
 measurement of, 14–15
 nicotine replacement therapy, 13, 28
 NIH (National Institutes of Health), Roadmap Initiative, 27, 235
 nodes, network, 161, 172, 174
 nominal groups approach, 71
 nonlinear systems, 44, 46
 North American Quitline Consortium, 160–161
 network analysis of, 160–169, 181
 North Karelia (Finland) Project, 21

O

obesity control initiative, 85–86
 Oklahoma, tobacco control program in, 171–175, 172*t*, 173*f*
 open-space meetings, 72–73
 open systems framework, power issues and, 76
 operating system, 65
 operational milestones, 75
 organization(s)
 adaptive, 62, 73–74
 definition of, 62
 evolution of, 153–154
 identification of, for network analysis, 161–162
 learning, 113, 226
 development of, 42–43, 79, 235–236
 as machines, 64
 “network,” 74
 networks of, 62, 152
 as organisms, 73, 78
 purposeful, 62, 73–74
 organizational behavior, 63, 188
 organizational change. *See also* system dynamics approaches to, 78 theories of, 153–154
 organization infrastructure, for knowledge management, 196, 208
 organizing function
 in traditional model, 64, 65*t*, 68
 in VSAL model, 69, 84*t*
 outcome maps, 72
 out-degree centrality, 150–151

P

parameters, estimation of, 116, 132–133
 participants
 empowerment of, 116
 ISIS, 251, 253–254, 256
 in knowledge management, 194–195, 195*f*, 208
 network, data collection from, 167
 substitution of, 75
 participative work redesign, 72
 participatory action research, 78–80, 234
 participatory agents, 77–78
 participatory evaluation, 79–82, 82*f*, 226
 participatory intervention model, 80
 participatory methods, 47, 50–51, 84*t*, 226
 key elements of, 50
 of needs assessment, 238
 for planning, 72–73
 structured process for, 77
 types of, 50
 value of, 50–51
 participatory research
 community-based, 80, 236
 power balance in, 76
 passive smoking, 18, 20
 pathology tools, 204
 pattern matching, 102
 example of, 88–89, 90*f*, 102, 102*f*
 for tobacco knowledge base, 214, 215*f*
 Pawtucket Heart Health Program, 21
 Pennsylvania, tobacco control program in, 171–175, 172*t*
 people. *See also* participants
 in knowledge management, 194–195, 195*f*, 208
 per capita spending, on tobacco control, 171
 persistence, 75
 personal mastery, 42
 Philip Morris, 17–20, 29
 physical proximity, networks and, 153, 164–165
 Pink Book, 203
 4P-KMT map, 197, 198*t*, 199*f*, 207–208
 PLANET project, 186, 198–203, 229
 knowledge management strategy, 209, 210*t*, 237, 242
 planning
 dynamic databases for, 239

- knowledge base for, 201–202
 - map-based approaches to, 71–72
 - model of, 71
 - participatory methods for, 72–73
 - planning function
 - collective vision and, 71
 - in traditional model, 64, 65*t*, 68
 - in VSAL model, 68–69, 84*t*
 - policy makers, participation of, 51, 53–54, 262–263
 - policy resistance, 115–116
 - policy simulation, 117
 - political climate, for state tobacco control programs, 171–172, 172*t*, 173*f*
 - population-level efforts, at tobacco control, 20–25, 30, 39
 - population science special interest group, 205
 - population surveillance systems, development of, 28
 - power, structure and, 76–77
 - practice domain, in systems organizing model, 67, 69
 - practitioners
 - participation of, 3*f*, 51–52, 261, 271, 271*t*
 - value of networks for, 156–157
 - PRECEDE/PROCEED framework, 234
 - prevention, focus on, 28
 - process
 - in knowledge management, 195–195, 195*f*, 208
 - in systems approaches, 230–231, 231*t*
 - product
 - in knowledge management, 195*f*, 196, 208
 - tobacco as, 14
 - program development databases, 239
 - program evaluation, 169
 - program evaluation databases, 239
 - program theory, 81
 - Project Low-Fat Eating for America Now (LEAN), 85–86
 - propriety, 82, 82*f*
 - protobacco constituencies, in causal maps, 122–124, 123*f*
 - proximity, networks and, 153, 164–165
 - public, undecided, in system dynamics model, 139–140, 139*f*–140*f*
 - publications, 52–53, 136, 186, 236
 - public awareness, of health risks, in causal maps, 120–121, 120*f*
 - public goods theory, 153
 - public health
 - concept mapping in, 72
 - evolution of, 12–13, 39, 142, 226
 - ISIS project as framework for, 5, 232
 - knowledge management framework for, 188–191, 189*f*, 222, 222*f*
 - network analysis in, 155–156, 159
 - system dynamics in, 117
 - systems approaches to, 47, 55, 235–236, 241–242, 260
 - public health agencies
 - collaboration among, 27
 - competition among, 124–125
 - public health planning, large-scale framework for, 268–269, 268*f*
 - public opinion, influences on, 130
 - public opinion sector. *See also* social norms
 - in system dynamics models, 126, 126*f*, 129–134, 131*f*–134*f*, 137–141, 138*f*–140*f*, 145*f*
 - public support, and research utilization, 135–139, 136*f*–139*f*
 - purpose
 - in knowledge management, 194, 195*f*, 207
 - shared, 236, 263
 - purposeful goals, 73
 - purposeful organizations, 62, 73–74
 - puzzle-solving methods, 50
- Q**
- quality assurance, 201
 - quantitative analysis, of networks, 165–166
 - quantitative management, 63
 - questionnaires, for network analysis, 167
 - quitlines, national network of. *See* North American Quitline Consortium
- R**
- rating task, in concept mapping, 98–99
 - real-time strategic change, 72
 - receptor capacity, lack of, 205–206
 - reciprocity, network, 158
 - referrals, client, 164, 174–175, 174*f*
 - refutability, 116
 - relationship(s)
 - broker, 150
 - exchange, 152

- formation of, 78
 - network (*See* network relationships)
 - between public sector and tobacco industry, 18
 - reputational sampling techniques, 162, 166, 168, 170
 - research
 - collective vision in, 235
 - effect on smoking prevalence, 139, 139*f*
 - funding for (*See* funding, *specific topics*)
 - participatory, 78–80, 234, 236
 - relevance of, 206
 - research approval, streamlining of, 53
 - research domain, in systems organizing model, 67, 69
 - researchers
 - awareness of health risks, in causal maps, 120–121, 120*f*
 - communication between, 53
 - participation of, 3*f*, 51–53, 262, 271, 271*f*
 - power issues, 76
 - research fraction, public support and, 135–136, 136*f*, 137–139, 138*f*–139*f*
 - research sector, in system dynamics models, 127, 127*f*, 129, 135–137, 136*f*–137*f*, 144*f*
 - research utilization, 13, 27–28, 52–53
 - case study, 87–92, 95
 - framework for, 268–269, 268*f*
 - knowledge base for, 189
 - networks and, 240
 - power issues with, 76
 - in system dynamics models, 135–139, 136*f*–139*f*
 - trust and, 80
 - resource(s)
 - for effective networks, 155
 - optimal use of, 156
 - resource allocation, 53, 158
 - resource dependence theories, 152
 - respect, development of, 76–77
 - responsibility, cluster rating map of, 93, 94*f*
 - Richmond, Barry, 42, 111–113
 - risk factor data, 201
 - Roadmap for Medical Research Initiative (NIH), 27, 235
 - Robert Wood Johnson Foundation
 - research utilization initiative, 87
 - SmokeLess States Program, 24, 251
 - system dynamics simulations, 117
 - transdisciplinary efforts, 27
 - Turning Point grant, 157
 - root definition, 43–44
 - rules, *versus* recipes, 74
 - rural chronic disease, network analysis of, 157
- S**
- Saint Louis University School of Public Health, Center for Tobacco Policy Research, 169
 - SAMHSA (Substance Abuse and Mental Health Services Administration), 27, 117, 200–201
 - Santa Fe Institute, 232
 - satisfaction, with loosely coupled systems, 75
 - “scale free” networks, 151
 - scanning, network capacity for, 178, 231, 238
 - scientific discovery. *See* research
 - scientific management, 63
 - search conference, 73
 - secondhand smoke, 18, 20
 - SEER registry, 199, 201–202
 - self-interest theories, 152
 - self-management, 76, 78
 - self-organization, 234, 269
 - in complex adaptive systems, 46, 62, 73–74, 83
 - September 11, 2001, systems view of, 115
 - service implementation network, 163
 - shared information, 164
 - shared purpose, 236, 263
 - shared situational awareness, 238
 - shared vision, 42–43
 - SimSmoke, 117
 - site visits, for network analysis, 167, 169
 - skilled personnel, lack of, 241
 - small-world networks, 149, 155
 - SmokeLess States Program, 24, 251
 - smokers, in causal maps, 119–120, 119*f*
 - smoking
 - adverse health outcomes associated with,
 - first report of, 17, 133, 227, 251
 - passive, 18, 20
 - prevalence of, 15–16, 19, 30
 - effect of research on, 139, 139*f*
 - models of, 128–129
 - social attitudes toward (*See* social norms)
 - Smoking and Tobacco Control Monographs (NCI), 20, 234, 245–246
 - smoking behavior, 15–16, 20. *See also* tobacco use
 - genetic basis for, 16
 - and nicotine yield, 14–15

- smoking cessation
 biobehavioral aspects of, 15–16, 20
 in system dynamics models, 134–135, 135f
- smoking initiation
 biobehavioral aspects of, 15–16, 20
 in system dynamics models, 126, 127f, 128–129, 133–134, 134f
- snowball sampling approach. *See* reputational sampling techniques
- social contagion, 153
- social context
 of knowledge management, 191, 217
 of tobacco control, 13, 19–22
- social networks, theories of, 152–154
- social norms. *See also* public opinion
 in causal maps, 119–120, 119f, 123, 134–135, 134f–135f, 138
 influences on, 130
- socioeconomic factors, in tobacco use, 15–16
- soft systems methodology, 43–44, 112–113
- software. *See* computer software
- SoTC (Strength of Tobacco Control) measure, 48, 94–95, 118, 229, 242, 245–246
- span gaps, in networks, 150
- stability, network, 155, 178
- stadium wave, complex behavior of, 45
- stakeholder groups, 240. *See also* network(s)
 collaboration among, 27, 54
 dialogue among, 78
 engagement of, 116
 evaluation driven by, 79
 identification of, 206
 implementation of conclusions with, 271, 271t
 inclusion of (*See* participatory methods)
 knowledge management and, 193, 215–216
 model of, 3f
 similarities among, 263
 systems thinking driven by, 113
 types of, 51
- Stanford Five-City Project, 21
- “star” networks, 155
- State Cancer Legislative Database, 203
- state cancer profiles, 201
- state government, tobacco control support from, 171
- state health departments, 23, 27
- State Tobacco Activities Tracking and Evaluation Systems (CDC), 242
- state tobacco control programs
 cooperative, 92–95
 financial and political climates, 171–172, 172t, 173f
 funding changes and, 169, 175, 175f
 network analysis of, 169–180
- statistical competence, development of, 271
- steering behaviors, 45
- stocks, in causal maps, 118–119, 131–132, 132f, 142, 231
- strategic planning, collective vision and, 71
- Strategies to Control Tobacco Use in the United States: A Blueprint for Public Health Action in the 1990’s* (NCI), 20, 234
- strategy maps, 72
 knowledge management, 197, 198t, 199f, 207–209, 210f, 210t–211t, 218–220
- SoTC (Strength of Tobacco Control) measure, 48, 94–95, 118, 229, 242, 245–246
- structural holes, in networks, 150
- structure, 7, 73–77, 83, 96
 behavior determined by, 116
 case study, 85
 of networks, 150–152, 160, 164–165, 172, 175, 175f, 178–180
 power and conflict issues with, 76–77
 in VSAL model, 65, 66f, 67, 95
- structured conceptualization. *See* concept mapping
- structuring step, in concept mapping, 98
- Substance Abuse and Mental Health Services Administration (SAMHSA), 27, 117, 200–201
- superorganisms, complex behavior of, 45
- Surgeon General’s Advisory Committee on Smoking and Health, 17, 133
- Surgeon General’s report, first, 17, 133, 227, 251
- Surveillance, Epidemiology, and End Results (SEER) registry, 199, 201–202
- survey instruments, for network analysis, 167
- system(s)
 behavior as, 111–113, 116
 as cause, 114
 complex adaptive, 44–45, 113, 226–227, 232, 255
 definition of, 14, 39
 evolution of, 46, 113
 loosely coupled, 74–76
 natural formation of, 74
 nonlinear, 46
 structured development of, 77
 tobacco use as, 13–20, 25, 141, 246
- system dynamics, 4, 6–8, 56, 109–145, 227
 applied to tobacco control, 116–133
 brainstorming in, 116

- case studies, 48*t*
 - characteristics of, 116
 - computer simulation of, 111–114, 142
 - current directions in, 232–233, 233*t*
 - definition of, 2, 41–42
 - examples of, 228, 229*t*
 - feedback loops in, 110, 114–115, 114*f*, 132–133, 133*f*, 141–142, 226
 - goals of, 48*t*
 - ISIS conclusion on, 237–240
 - overlap with other approaches, 230–231, 230*t*
 - versus* systems thinking, 41–42, 111–113
 - uses of, 110–111
 - system dynamics models, 4, 8, 72, 110–111, 113, 227
 - causal mapping for, 118–125, 119*f*–125*f*, 231–232
 - development of, 125–131, 143, 143*f*–145*f*
 - examples of, 115, 117
 - overlap with other approaches, 231
 - results of, 133–141
 - sector component groupings, 117–118, 118*f*
 - validation of, 131–132, 132*f*
 - value of, 131–132, 141
 - system networks. *See* network(s)
 - systems approaches
 - benefits of, 5, 7, 232, 238
 - capacity building for, 6, 241, 244
 - case studies of, 47–51
 - common methodologies across, 230–231, 230*t*
 - definition of, 14, 39
 - integration of, 2, 3*f*, 49, 49*f*, 55, 228–230, 260–266
 - framework for, 269, 269*f*
 - importance of, 6, 30
 - large-scale framework for, 268–269, 268*f*
 - potential uses of, 5, 7, 38–39, 49–50, 55–56, 226, 246, 271
 - versus* traditional management theory, 65–70, 66*f*, 83, 95, 226, 234–235
 - types of, 2, 4, 7
 - systems concepts, 45–47
 - systems knowledge, 4, 6
 - definition of, 2
 - management of (*See* knowledge management)
 - systems methods, definition of, 14, 39
 - systems organizing, 4, 56, 61–103, 226
 - case studies, 48*t*, 83–95
 - current directions in, 232–233, 233*t*
 - definition of, 2
 - development of, 243
 - examples of, 228, 229*t*
 - goals of, 48*t*
 - ISIS conclusions on, 234–237
 - model of, 65–83, 66*f*
 - overlap with other approaches, 230–231, 230*t*
 - principles of, 7, 65, 66*f*, 67–68, 84*t*, 95–96
 - role of, 5–6
 - systems theory
 - curriculum for, 244, 272
 - development of, 237, 272
 - evolution of, 47–50, 113
 - history of, 40
 - systems thinking, 37–59, 245, 250
 - barriers to, 236–237, 244
 - capacity building for, 6, 241, 244
 - critical, 113
 - current directions in, 232–233, 233*t*
 - definition of, 14, 39–42, 111, 113–114
 - evolution of, 273
 - examples of, 41
 - frameworks for, 41–45, 55–56
 - implementation framework for, 259–275, 266*f*
 - integrated approach to, 47, 49, 49*f*, 55, 228–230, 260–266
 - framework for, 269, 269*f*
 - in learning organizations, 42–43
 - misconceptions about, 40
 - mixed-methods, 237–238
 - national conference on, 244
 - participatory methods for, 47, 50–51
 - skills of, 42, 42*t*
 - versus* system dynamics, 41–42, 111–113
 - vision for, 269–273
- ## T
- tacit knowledge, 188, 193, 221, 227
 - shift from explicit to, 193, 207, 214
 - tagging, in complex adaptive systems, 44
 - tar yield, 14
 - taxes
 - in causal maps, 123–124, 124*f*
 - at state level, 171
 - taxonomy, for knowledge base, 4, 9, 212–214, 213*t*, 217
 - team(s)
 - conflict within, 76–77
 - self-managing, 76
 - team approach, to complex issues, 156
 - team learning, 43
 - technical management theory, 63
 - technology, in systems approaches, 230–231, 231*t*

- technology infrastructure, for knowledge management, 196, 208, 242
- telephone interviews, for network analysis, 169
- Terry, Luther, 17
- thinking
 - ecological, 43, 44*t*, 226, 235–236, 238–239, 245
 - effective, principles of, 43
 - holistic, 40
 - system (*See* systems thinking)
- The “Thinking” in Systems Thinking: Seven Essential Skills* (Richmond), 42
- 3D model, of network development, 176–180
- time factors
 - in knowledge management, 194
 - in network analysis, 158, 165–166, 168–169, 175
- tissue banks, 204
- tobacco control
 - cooperative programs, case study, 92–95
 - evolution of, 12–13, 30, 39, 133, 142, 227–228, 228*f*, 233–234, 250, 250*f*, 252
 - goals of, 12
 - history of, 17–18, 133, 227–228
 - knowledge management framework for, 188–191, 189*f*
 - case studies, 197–209
 - management theory applied to, 68, 68*f*
 - as model for public health, 5, 232
 - network analysis in, 160–169
 - population-level efforts, 20–25, 30, 39
 - societal and environmental factors affecting, 13, 19–22
 - stakeholder organizations in, 27
 - state-level programs (*See* state tobacco control programs)
 - state of, 4–7, 11–30, 39, 55, 226, 267
 - success of, 13
 - system dynamics applied to, 116–133
 - systems approaches in, 2, 3*f* (*See also* ISIS (Initiative on the Study and Implementation of Systems) project)
 - application of, 51–54
 - beginnings of, 20–25
 - examples of, 228, 229*f*
 - implementation of, 273–275
 - need for, 12–20, 55
 - systems problems in, 25–29, 38–39
- tobacco control knowledge base, 199–206
 - concept mapping of, 209–217, 212*f*, 215*f*, 237
 - development of, 193
 - infrastructure, 206–209, 207*t*, 242
 - missing pieces in, 205–206
 - taxonomy for, 4, 9, 212–214, 213*t*, 217
 - transdisciplinary, 243–244
- Tobacco Control Network (CDC), 201
- tobacco control networks
 - case study, 169–180
 - data collection, 165–169
- tobacco control sector, in system dynamics models, 118
- tobacco grower factors, in causal maps, 119–120, 119*f*
- tobacco health risk, awareness of, in causal maps, 120–122, 120*f*–121*f*
- tobacco industry, 16–20
 - advertising by, 13, 16–17, 232
 - business coalitions with, 19
 - in causal maps, 122–124, 123*f*
 - image of, 19
 - lack of intelligence about, 205–206, 216
 - public sector relationship with, 18
 - response to tobacco control efforts, 12–13, 17–19, 25, 29
 - state-level, 171
- tobacco industry sector, in system dynamics models, 118
- Tobacco Information and Prevention Source (CDC), 242
- Tobacco Institute, 18
- tobacco marketing, 13, 16–17, 232
 - in causal maps, 119*f*, 120
- tobacco products, complexity of, 14
- tobacco revenues, in causal maps, 120, 120*f*, 121, 123
- tobacco settlement funds, 18, 171, 232
- tobacco taxes, in causal maps, 123–124, 124*f*
- Tobacco Technical Assistance Consortium, 186
- tobacco use. *See also* smoking behavior
 - biobehavioral aspects of, 15–16, 20
 - as complex system, 13–20, 25, 141, 246
 - societal and environmental factors affecting, 13
- Tobacco Use Prevention Service (TUPS), 174
- tobacco use sector, in system dynamics models, 118, 126, 127*f*, 133–135, 134*f*–135*f*, 143*f*
- traditional management theory, 62–65, 65*t*
 - functions in, 64, 65*t*, 67–68
 - versus* systems approaches, 65–70, 66*f*, 83, 95, 226, 234–235
- transaction cost economics, 152
- transactive memory systems, 157
- transdisciplinary approach
 - facilitation of, 53, 235–236, 240–241
 - in ISIS project, 254

to knowledge management, 243–244
need for, 26–27, 39, 148
Transdisciplinary Tobacco Use Research Centers (TTURCs), 27, 166, 234, 236
translational research. *See* research utilization
trust
in collaboration, 80
development of, 76–77
in networks, 154, 158, 164, 178, 180
between practitioner and client, 52
and research utilization, 80
TUPS. *See* Tobacco Use Prevention Service (TUPS)
Turning Point grant, 157

U

U.S. Department of Defense, 28–29
U.S. Food and Drug Administration, 28, 118
utility, 82, 82*f*

V

VENSIM software, 126
vertical networks, 164
vertices, 46
virtual laboratories, 235
vision, 7, 70–73, 82, 96, 235
case study, 85–86
ISIS, 245, 260

link between mission and, 77–79, 82–83, 95
shared, 42–43
for systems thinking, 269–273
in VSAL model, 65, 66*f*, 67, 84*t*, 95
visual models, 71–72
vocabularies, 193, 204–205
von Bertalanffy, Ludwig, 40
VSAL model, 65, 66*f*, 67

W

W. K. Kellogg Foundation, 157
Washington, tobacco control program in, 171–175, 172*f*
Web-based environment, 241
knowledge resources in, 155, 198–206, 242
for network analysis, 170
for program design, 239
systems approaches in, 243
“Web of Science,” 236
Weissman, George, 17
welfare reform study (New York State), 115
whole-systems perspective, 78
Wikipedia, 187, 239
workspaces, 204–205
World Health Organization, Framework Convention for Tobacco Control, 29, 161
Wyoming, tobacco control program in, 171–175, 172*f*